



### Combines beauty, economic viability and functionality...

Pagoda City is an economical alternative to the Pagoda Basic with a simpler roof form with an elegant and simple architectural look. 3x3 m, 4x4 m, 5x5 m, 5x3 m dimensions are produced as standard. Ideal for party, festival and commercial events. Our professional quality guarantees a long life with a great price.

Together with ease of assembly and perfect build-quality, the Pagoda marquee series provides the perfect solution for a vast range of applications.

Pagoda series tents is an investment that is also worthwhile in the long term.





63X63X2

## TECHNICAL DETAILS

Compact for ease of transportation, quick and simple to install. Perfect for uneven surfaces thanks to the adjustable-height base plates. Sturdy, robust framework constructed from aluminium hollow profiles.. All steel parts hot-dip galvanized. Several pagodas can be connected together with special gutter parts.

### Frame

Sturdy, robust framework constructed from aluminium hollow profiles. Edge beam of aluminium square tube. All steel parts hot-dip galvanized. Several pagodas can be connected together with special gutter parts.

### Covers

Professional, heavy duty, high quality covers made from translucent, PVC-coated fabric, flame-retardant according to DIN 4102, Fire Class B1. Fabric colour white. Patented dual keder technology gives a precise fitting roof, tensioning is made easy thanks to the central spindle.

INCLUDED IN DELIVERY	
	Frame construction with anodised and high strength special alloy aluminum profile
	Connection parts made of galvanised steel
	White roof tarpaulins with double keder system
	White side tarpaulins with central divisions
	Pegs and telescopic legs
OPTIONAL	
	Windows for the side tarpaulins
	Cassette floor and wall systems
	Gutter system



Base



Corner Connector



Ridge Connector



Top Head



### Six types from 9m<sup>2</sup> to 25m<sup>2</sup>

Sizes (m)	3x3	3x3	4x4	4x4	5x5	5x5
Eave Height (cm)	220	250	220	250	220	250
Peak Height (cm)	300	330	315	345	340	370
Longest component (cm)	290	290	390	390	490	490